

RW-02 SECTION
1:25RW-03 SECTION
1:25

RW-01 SECTION
1:25

GENERAL NOTES:

- ALL DIMENSIONS ARE IN MM
- CONCRETE STRENGTH WILL BE AS FOLLOWS:
 - A. AFTER 28 DAYS : 40 Mpa
 - B. DEMOLDING STRENGTH : 20 Mpa
 - C. LIFTING, TRANSPORTATION ERECTION : 20 Mpa
- REINFORCEMENT GRADE: HIGH YIELD STRENGTH DEFORMED BARS OR TMT OF FE500D
- DO NOT SCALE FROM THE DRAWING
- PRODUCTION TOLERANCE
 - A. LENGTH +5/-10 MM
 - B. WIDTH (OVERALL): AS PER PCI MNL 116 AND PCI MNL 135
 - C. DEPTH/THICKNESS (OVERALL): AS PER PCI MNL 116 AND PCI MNL 135.
 - D. ERECTION TOLERANCE: +/-10 MM WITH RESPECT TO GRID LINE AS PER DRAWING
 - E. LIFTING ANCHORS TO BE VERIFIED WITH RESPECT TO WEIGHT
- PROVIDE TEMPORARY SUPPORTS FOR SLABS AND BEAMS UNTIL CONCRETE REACH 70 PERCENTAGE STRENGTH.
- D. SBC IS 140 KN/M2 AS PER THE REPORT

F.G.L : FINISHED GROUND LEVEL(INSIDE)

**N.G.L : NATURAL GROUND
LEVEL (OUTSIDE)**

PROJECT:

DRAWING TITLE:

PROPOSED PRECAST RETAINING WALL DRAWING

FOR APPROVAL

SCALE:

DRAWN:

CHECKED:

APPROVED:

DATE:

DRAWING NO :

EP-RW-SE-01

REV NO :

R0