

1 | PLATFORM LEVEL PLAN  
- Scale (A1) 1:400, (A3) 1:800

ROOM AREA SCHEDULE				
S.NO	ROOM NAME	WIDTH	LENGTH	AREA
1	SCR / TOM	11800	6800	80 Sqm.
2	SER / TER	7200	9950	73 Sqm.
3	UPS (S&T)	9100	8275	72 Sqm.
4	STATION UPS	7900	6030	50 Sqm.
5	ASS ROOM	10650	19255	200 Sqm.
6	EFO	2400	1850	04 Sqm.
7	CLEANER'S/REFUSE ROOM	3450	3000	08 Sqm.
8	STAFF ROOM	6900	4625	34 Sqm.
9	SECURITY ROOM-1	3300	1950	06 Sqm.
10	SECURITY ROOM-2	3300	1950	06 Sqm.
11	TOILET(M)-1	6075	3880	25 Sqm.

ROOM AREA SCHEDULE				
S.NO	ROOM NAME	WIDTH	LENGTH	AREA
12	TOILET(F)-1	4100	3880	15 Sqm.
13	TOILET(H)-1	2700	1800	05 Sqm.
14	BABY CARE-1	2400	1800	03 Sqm.
15	TOILET(M)-2	4880	2400	12 Sqm.
16	TOILET(F)-2	3380	2550	08 Sqm.
17	TOILET(H)-2	2200	1900	04 Sqm.
18	BABY CARE-2	2300	2550	05 Sqm.
19	DG ROOM	10000	6000	60 Sqm.
20	PUMP ROOM	6600	6900	45 Sqm.
21	FIRE WATER TANK (1 NOS) 100 KL CAPACITY	5620	6700	100 KL.Cap
22	DOMESTIC WATER TANK (2 NOS) 50 KL CAPACITY	5800	3200	50 KL.Cap

OPENING SCHEDULE							
OPENING TYPE	WIDTH	HEIGHT	LINTEL HEIGHT	SILL HEIGHT	Nos.	REMARKS	
D1	1000	2100	2150	---	12	SINGLE LEAF DOOR	
SD	1200	2100	2150	---	02	SLIDING DOOR	
GD	1000	2100	2150	---	01	GLASS DOOR	
FD1	2100	2400	2450	---	08	FIRE RATED DOOR	
RS1	3000	3500	3500	---	06	ROLLING SHUTTER	
RS2	4000	3500	3500	---	01	ROLLING SHUTTER	
W1a	4725	3500	4100	600	09	LOUVER+GLASS	
W2a	3670	3500	4100	600	08	LOUVER+GLASS	
W1	3000	1500	2700	1200	03	LOUVER+GLASS	


ABBREVIATIONS	FULL FORM
F.F.L	Floor Finish Level
TOM	Ticket Operating Machine
SCR	Station Control Room
EFO	Ecess Fare Office
SER	Signaling Equipment Room
TER	Telecom Equipment Room
UPS	Uninterruptible Power Supply
S&T	Signaling & Telecom
ASS	Auxiliary sub station
MMI	Multi Modal Integration

NOTE :  
★ HEIGHTS AND LEVELS MARKED ARE INDICATIVE ONLY  
★ HEIGHTS AND LEVELS ARE SUBJECT TO CHANGE AS PER EXISTING SITE CONDITIONS


LEGEND	
	UNPAID AREA
	PAID AREA
	BACK OF HOUSE AREA
	PUBLIC DOMAIN (BARE SHELL)
	OPERATIONAL AREA
	TOILET & UTILITIES
	RCC

NOTES:  
1. ALL DIMENSIONS ARE TENTATIVE FOR ILLUSTRATION PURPOSE, EPC CONTRACTOR WILL DO ACTUAL DESIGN AS PER SITE CONDITION, SPACE AVAILABLE, CONSTRUCTION FEASIBILITY ETC..  
2. ALL DIMENSIONS ARE IN MILLIMETERS.  
3. ALL DIMENSIONS ARE TO BE READ AND NOT TO MEASURED.  
4. ROOF SHOULD BE DESIGNED FOR INSTALLATION OF SOLAR PANELS, ROOF SHAPE AND SIZE IS INDICATIVE. CONTRACTOR TO PROVIDE OPTIONS SUFFICIENTLY DETAILED FOR EMPLOYERS APPROVAL. FOR FURTHER DETAIL PLEASE REFER THE EMPLOYERS REQUIREMENT.  
5. CONTRACTOR TO DESIGN A AESTHETICALLY PLEASING , STATE OF THE ART FACADE SYSTEM TO STOP INGRESS OF WATER IN THE STATION. ANY STRUCTURAL LOAD ON ACCOUNT OF THE FACADE WILL BE TAKEN CARE BY THE CONTRACTOR IN THEIR STRUCTURAL DESIGN  
6. BARE SHELL IS WITHOUT ANY ARCHITECTURAL FINISHES AND E&M PROVISIONS.  
7. ALL FOB SUPPORT LOCATIONS ARE INDICATIVE CONTRACTOR TO CO-ORDINATE WITH CONCERNED AUTHORITIES AND FINALIZE THE LOCATION AS PER ACTUAL SITE CONDITION ENSURING ALL NECESSARY CLEARANCES.  
8. THE CUTOUT FOR FUTURE ESC/STAIRCASE SHALL BE CONSTRUCTED AS PRESENT SCHEME AND SHALL BE COVERED WITH A TEMPORARY SLAB FOR USE AS PUBLIC DOMAIN SPACE.


K-RIDE			K-RIDE GC		
			Project Director GC		
			Architect GC		



BANGALORE SUB URBAN RAIL PROJECT CORRIDOR - 1					
Drawing for Tender Purpose only					
NAGAWARA PLATFORM LEVEL PLAN					
DRG.NO. KRIDE / BSRP / C2 / TD / NAG / AR / 1001	REVISION NO. 01	DRAWN BY VSA	CHKD BY VSA	APRVD BY -----	
DRG ISSUE DATE 05 / 03 / 2025					

**1 LONG SECTION - A**

- Scale (A1) 1:150, (A3) 1:300

**2 CROSS SECTION - D**

- Scale (A1) 1:150, (A3) 1:300

ROOM AREA SCHEDULE				
S.NO	ROOM NAME	WIDTH	LENGTH	AREA
1	SCR / TOM	11800	6800	80 Sqm.
2	SER / TER	7200	9950	73 Sqm.
3	UPS (S&T)	9100	8275	72 Sqm.
4	STATION UPS	7900	6030	50 Sqm.
5	ASS ROOM	10650	19255	200 Sqm.
6	EFO	2400	1850	04 Sqm.
7	CLEANER'S/REFUSE ROOM	3450	3000	08 Sqm.
8	STAFF ROOM	6900	4625	34 Sqm.
9	SECURITY ROOM-1	3300	1950	06 Sqm.
10	SECURITY ROOM-2	3300	1950	06 Sqm.
11	TOILET(M)-1	6075	3880	25 Sqm.

ROOM AREA SCHEDULE				
S.NO	ROOM NAME	WIDTH	LENGTH	AREA
12	TOILET(F)-1	4100	3880	15 Sqm.
13	TOILET(H)-1	2700	1800	05 Sqm.
14	BABY CARE-1	2400	1800	03 Sqm.
15	TOILET(M)-2	4880	2400	12 Sqm.
16	TOILET(F)-2	3380	2550	08 Sqm.
17	TOILET(H)-2	2200	1900	04 Sqm.
18	BABY CARE-2	2300	2550	05 Sqm.
19	DG ROOM	10000	6000	60 Sqm.
20	PUMP ROOM	6600	6900	45 Sqm.
21	FIRE WATER TANK (1 NOS) 100 KL CAPACITY	5620	6700	100 KL.Cap
22	DOMESTIC WATER TANK (2 NOS) 50 KL CAPACITY	5800	3200	50 KL.Cap

OPENING SCHEDULE						
OPENING TYPE	WIDTH	HEIGHT	LINTEL HEIGHT	SILL HEIGHT	Nos.	REMARKS
D1	1000	2100	2150	---	12	SINGLE LEAF DOOR
SD	1200	2100	2150	---	02	SLIDING DOOR
GD	1000	2100	2150	---	01	GLASS DOOR
FD1	2100	2400	2450	---	08	FIRE RATED DOOR
RS1	3000	3500	3500	---	06	ROLLING SHUTTER
RS2	4000	3500	3500	---	01	ROLLING SHUTTER
W1a	4725	3500	4100	600	09	LOUVER+GLASS
W2a	3670	3500	4100	600	08	LOUVER+GLASS
W1	3000	1500	2700	1200	03	LOUVER+GLASS

ABBREVIATIONS	FULL FORM
F.F.L	Floor Finish Level
TOM	Ticket Operating Machine
SCR	Station Control Room
EFO	Ecess Fare Office
SER	Signaling Equipment Room
TER	Telecom Equipment Room
UPS	Uninterruptible Power Supply
S&T	Signaling & Telecom
ASS	Auxiliary sub station
MMI	Multi Modal Integration

**NOTE :**

- ★ HEIGHTS AND LEVELS MARKED ARE INDICATIVE ONLY
- ★ HEIGHTS AND LEVELS ARE SUBJECT TO CHANGE AS PER EXISTING SITE CONDITIONS


**NOTE :**

ALL FOUNDATIONS FOR THE MAIN STATION BUILDING, FOB & ENTRY/EXIT STRUCTURES ARE IN THE SCOPE OF C4 STATION CONTRACT. EPC CONTRACTOR WILL DO ACTUAL DESIGN AS PER SITE CONDITIONS, SPACE AVAILABILITY, CONSTRUCTION FEASIBILITY ETC.

**LEGEND**

UNPAID AREA
PAID AREA
BACK OF HOUSE AREA
PUBLIC DOMAIN (BARE SHELL)
OPERATIONAL AREA
TOILET & UTILITIES
RCC

- NOTES:**
- ALL DIMENSIONS ARE TENTATIVE FOR ILLUSTRATION PURPOSE, EPC CONTRACTOR WILL DO ACTUAL DESIGN AS PER SITE CONDITION, SPACE AVAILABLE, CONSTRUCTION FEASIBILITY ETC..
  - ALL DIMENSIONS ARE IN MILLIMETERS.
  - ALL DIMENSIONS ARE TO BE READ AND NOT TO MEASURED.
  - ROOF SHOULD BE DESIGNED FOR INSTALLATION OF SOLAR PANELS, ROOF SHAPE AND SIZE IS INDICATIVE. CONTRACTOR TO PROVIDE OPTIONS SUFFICIENTLY DETAILED FOR EMPLOYERS APPROVAL. FOR FURTHER DETAIL PLEASE REFER THE EMPLOYERS REQUIREMENT.
  - CONTRACTOR TO DESIGN A AESTHETICALLY PLEASING, STATE OF THE ART FACADE SYSTEM TO STOP INGRESS OF WATER IN THE STATION. ANY STRUCTURAL LOAD ON ACCOUNT OF THE FACADE WILL BE TAKEN CARE BY THE CONTRACTOR IN THEIR STRUCTURAL DESIGN
  - BARE SHELL IS WITHOUT ANY ARCHITECTURAL FINISHES AND E&M PROVISIONS.
  - ALL FOB SUPPORT LOCATIONS ARE INDICATIVE CONTRACTOR TO CO-ORDINATE WITH CONCERNED AUTHORITIES AND FINALIZE THE LOCATION AS PER ACTUAL SITE CONDITION ENSURING ALL NECESSARY CLEARANCES.
  - THE CUTOUT FOR FUTURE ESC./STAIRCASE SHALL BE CONSTRUCTED AS PRESENT SCHEME AND SHALL BE COVERED WITH A TEMPORARY SLAB FOR USE AS PUBLIC DOMAIN SPACE.

**K-RIDE****K-RIDE GC****KEY PLAN****BANGALORE SUB URBAN RAIL PROJECT  
CORRIDOR - 1**

Drawing for Tender Purpose only

**NAGAWARA  
LONG SECTION-A & CROSS SECTION-B**

DRG. NO.	REVISION NO.	DRAWN BY.	CHKD BY.	APRVD BY.
KRIDE / BSRP / C2 / TD / NAG / AR / 1002	01	VSA	VSA	----
DRG. ISSUE DATE	05 / 03 / 2025	REVISION NO.	01	DRAWN BY.