


1. THIS DRAWING IS FOR INFORMATION AND REFERENCE AS A GENERAL GUIDANCE ONLY.  
2. ALL DEPOT FACILITIES, PLANTS & MACHINERIES, ACCOMMODATION FACILITIES, SYSTEM WIDE REQUIREMENTS ETC SHALL BE VERIFIED FOR MAINTENANCE REQUIREMENT OF ROLLING STOCK AND INFRASTRUCTURE FACILITIES.  
3. ALL DIMENSIONS ARE IN METER UNLESS NOTED OTHERWISE AND TO BE READ ONLY NOT MEASURED.  
4. ABSOLUTE RAIL LEVEL SHALL BE DERIVED FROM APPROVED ALIGNMENT DRAWINGS.  
5. STRUCTURE SYSTEM SHOWN IS INDICATIVE. ALL STRUCTURE MEMBER SIZES TO BE DETAILED BY DESIGNER AT LATER STAGE.  
6. THIS DRAWINGS HAVE BEEN DEVELOPED IN CONFORMITY TO DPR, SDO, BSPP, OTHER CODAL REQUIREMENTS.  
7. SYSTEM ROOM SIZES, HEIGHTS, DOOR SIZE, FLOOR HEIGHT AND OUTOUT DIMENSIONS TO BE VERIFIED BY RELEVANT DISCIPLINES OF ENGINEERING.  
8. SHAFTS FOR ELECTRICAL, SAT, PLUMBING, DRAINAGE, SEWAGE DISPOSAL, RAIN WATER HARVESTING, FIRE AND OTHER SYSTEMS SHALL BE PROVIDED AS PER SYSTEM AND MEP REQUIREMENTS.  
9. ALL FINISHES ARE SUBJECT TO KRIDE APPROVAL.  
10. SPACE CONSIDERED FOR ELECTRICAL & SAT CABLE TRENCH, DURING THE DETAILED DESIGN STAGE ELECTRICAL & SAT CABLE TRENCH WILL BE PROVIDED BASED ON DESIGN.  
11. 1 IN 8.5 TURNOUTS PROVIDED IN THE DEPOT.  
12. FAL DISTANCE PROVIDED AT 4.25M METERS.

**NOTES:**  
1. ALL DIMENSIONS ARE IN MM AND LEVELS ARE IN METER UNLESS STATED OTHERWISE.  
2. THIS DRAWING SHALL NOT BE SCALED. ONLY WRITTEN DIMENSIONS TO BE FOLLOWED.  
3. WASTE PIPES SHALL BE UPVC PIPES CONFIRMING TO IS-15892-1992 TYPE-B.  
4. FOR SOIL AND WASTE PIPE FITTINGS LIKE BENDS, TEES ETC., SHALL BE PROVIDED WITH DOORS WHERE PIPES DROPS.  
5. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH EXTERNAL EFFLUENT LAYOUT & EXTERNAL SEWERAGE LAYOUT.  
6. PIPE SHALL BE ENCASED WITH P.C.C TWICE THE DIAMETER REQUIRED.

LEGEND:		
S.NO.	SYMBOL / NAME	DESCRIPTION
1		RECTANGULAR MAN HOLE
2		DIRECTION OF FLOW
3		75 Ø WASTE PIPE
4	FT	FLOOR TRAP
5	ECS	EFFLUENT COLLECTION SUMP
6	LL	INVERT LEVEL
7	WP	WASTE PIPE
8	GT	GULLY TRAP
9	MH	MANHOLE



NO.	TENDER DRAWING	REVISION	DATE	BY	CHKD.	APP.	REVISION	DATE	BY	CHKD.	APP.
1	1										



GENERAL CONSULTANT				K RIDE			
PROJECT DIRECTOR		GM / PLANNING					
SR ALIGNMENT EXPERT		GM / CIVIL / DEPOT					
CHIEF TRACK EXPERT		GM / ROLLING STOCK					
CHIEF SIGNALLING EXPERT		GM / TRACTION					
CHIEF TRACTION EXPERT		GM / SIGNALLING					
CHIEF TELECOM EXPERT							
SR ROLLING STOCK ENGINEER							
DIRECTOR PROJECT PLANNING				DIRECTOR SYSTEM			

<b>TENDER DRAWING</b>			
PROJECT I.D. 2388			
TITLE: <b>AUTO COACH WASH PLANT SHED DRAINAGE LAYOUT</b>			
CONSULTANT : <b>BARSYL</b> BALAJI RAILROAD SYSTEMS (P) LIMITED.			
SCALE: 1/75	SHEET NO. 1 OF 1	DRG NO KRIDE_BSRP_RSL_DEPOT_SDVA	REV. 5