




- | LEGEND:- EQUIPMENTS FOR ASS | | | | | | |
|-----------------------------|------------------------------------|-----------------------------|-----------|------|------|----------------|
| S.No. | Description | Abbreviation | SIZE (MM) | | | QTY.
(Nos.) |
| | | | L | W | H | |
| 1 | AUXILIARY TRANSFORMER
(2500kVA) | AT | 2900 | 2100 | 3300 | 02 |
| 2 | 33KV SWITCHGEAR PANEL
AIS TYPE | 33KV
SWITCHGEAR
PANEL | 1000 | 3220 | 2800 | 06 |
| 3 | ACDB WALL MOUNTED | ACDB | 800 | 200 | 1000 | 01 |
| 4 | DCDB WALL MOUNTED | DCDB | 800 | 200 | 1000 | 01 |
| 5 | REMOTE TERMINAL UNIT | RTU | 1000 | 1000 | 2100 | 02 |
| 6 | BATTERY BANK | BATT. | 440 | 2555 | 1600 | 01 |
| 7 | BATTERY CHARGER | BC | 1600 | 600 | 1800 | 01 |

R0	29-01-2025	FIRST SUBMISSION	K.B	V.S/R.K	SK
REV	DATE	DESCRIPTION	Originator	Checked	Approved

Certified that this document has been designed and checked in accordance with GC Quality Assurance Plan

Senior Discipline Expert	Chief Discipline Expert	Project Director
--------------------------	-------------------------	------------------

Senior Discipline Expert	Chief Discipline Expert	Project Director
--------------------------	-------------------------	------------------

Certified that this document has been designed and checked in accordance with DDC Quality Assurance Plan
Detailed Design Consultant for design of Traction & Auxilliary Power Supply and Distribution for BSRP

SYSTRA SYSTRA MVA CONSULTING (INDIA) PVT. LTD.
10th and 11th Floor, Tower-B, 12/3, Vatika
Mindscapes, Mathura Road, NH2, Sector 27D,
Faridabad, Haryana 121013

Client:  RAIL INFRASTRUCTURE
DEVELOPMENT COMPANY
(KARNATAKA) LIMITED

Project Title: Bengaluru Suburban Rail Project (BSRP)
(Detailed Design Consultant for design of Traction & Auxiliary Power Supply and Distribution for BSRP)

	Corridor-2 (Benniganahalli -Chikkabanavara)	
--	---	--

Drawing Title:	Project Stage:
TYPICAL EQUIPMENT LAYOUT DRAWING FOR DEPOT ASS	Tender Drawing

Paper Size: A1	Discipline:	Date: 29/01/2025	Scale: TS/N
Drawing no.: KRDP01-TDR-GEN-GEN-TPS-DWG-00034			Revision: R0